


Integration with Datadog (APM)

Datadog is a supported third-party APM integration with AIQ. Datadog is an observability service for cloud-scale applications, providing monitoring of servers, databases, tools, and services, through a SaaS-based data analytics platform.

Datadog Setup

1. Login to your Datadog Dashboard at: <https://app.datadoghq.com/dashboard/>
2. Sign in with your credentials.
3. Navigate to a dashboard that you want to integrate with AIQ and select the duration range using the **Unix timestamps** option as in




4. Copy the URL of the dashboard.

AIQ Setup

1. Open AIQ.
2. Navigate to **Global Options > Preferences > APM Integrations**.
3. Select Datadog in the dropdown.
4. Paste the URL of your DataDog Dashboard in the URL field.
5. Create a name for the integration.
6. Set the time to analyze along the execution. For example, 10 minutes will analyze 5 minutes before and 5 minutes after of a point selected in the execution.
7. Click **Save** button.
8. Confirm the integration is saved in the dropdown at the top left corner.


Test the Integration

1. Log in to AIQ and go to the reports section. Look for a past scenario with logged detailed executions.
2. Click Analyze link and select the **Testcase Executions** report in the drop down.




- Click on one of the triangles in the graph to show the details of that execution. Remember the time that is shown.

Example: Datadog execution details at 4:11:59 PM.



- Below the graph you will find a button with a label matching the name you gave to the APM integration. When you click this button it will open a new window with the DataDog report between the time specified in the APM integration settings.

Example: 10 minutes, should show the report between 4:06pm and 4:16pm.



Revision #1

Created 2026-08-10 14:54:07 UTC by mmora

Updated 2026-08-10 14:55:37 UTC by mmora