

Module: reports

Module: reports

Method	Parameters	HTTP Method	Description	URL Example
createConfig	String url, String user, String pass, String driver, String database		Creates a new configuration, returns the configuration id	
createDefault			Creates a new default data base configuration	
deleteScenarioExecution	JSONArray pArrayJson	GET/ POST	Deletes a Scenario execution from database	http://localhost:8080/AppvanceServer/rest/reports/deleteScenarioExecution?config=default&scenario=12345
getAeliusReportFromFile	String path	GET/ POST	Gets Aelius report from the HTTP Proxy file that is being loaded.	http://localhost:8080/AppvanceServer/rest/reports/getAeliusReportFromFile?path=browserPath
getAllSummaries	String config, long exeid		Gets all Summary Reports	
getChartingTxDataProvider	String config, int dbIterId, String testCaseName	GET/ POST	Gets charting tx details	http://localhost:8080/AppvanceServer/rest/reports/getChartingTxDataProvider?config=default&testCaseName=testcase1&iterId=5
getConfigurationsCustomDataGraphics	String config, int resourceId, int customDataId	GET/ POST	Gets the configuration custom data graphics	http://localhost:8080/AppvanceServer/rest/reports/getConfigurationsCustomDataGraphics?config=default&resourceId=1525&customDataId=5

Method	Parameters	HTTP Method	Description	URL Example
getCustomData	String config, int resourceId	GET/ POST	Get custom data based on the resource id	http://localhost:8080/AppvanceServer/rest/reports/getCustomData?config=default&resourceId=1525
getCustomDataGraphics	String config, int resourceId, int customDataId	GET/ POST	Get custom data graphics	http://localhost:8080/AppvanceServer/rest/reports/getCustomDataGraphics?config=default&resourceId=1525&customDataId=5
getData	String blobType, String contentType, String config, int requestId		Gets one transaction	
getError	String config, int nodeId	GET/ POST	Gets testnode error	http://localhost:8080/AppvanceServer/rest/reports/getError?config=default&nodeId=12345
getExecution	String config, long exelId	GET/ POST	Gets executions details	http://localhost:8080/AppvanceServer/rest/reports/getExecution?config=default&exelId=12345
getExecutionDetails	String config	GET/ POST	Gets execution from a configuration id	http://localhost:8080/AppvanceServer/rest/reports/getExecutionDetails?config=default
getExecutionDetailsById	String username, String config, long id		Gets a specific execution details from the configured database and for an specific execution filtered by any of both id or date.	
getExecutionDetailsByName	String username, String config, String scenarioName		Gets executions from a configuration id	
getExecutionDetailsByRange	String username, String config, long initialTime, long finalTime		Gets a specific execution details from the configured data base for an specific time range	

Method	Parameters	HTTP Method	Description	URL Example
getExecutionDetailsByScenario	String username, String config, String name		Gets a specific execution details from the configured data base.	
getExecutionDetailsNoLimits	String username, String config		Gets a specific execution details from the configured data base fetching all the rows.	
getExecutionDetailsUntil	String username, String config, long specifictime		Gets a specific execution details from the configured database from the latest executions until an specific time.	
getExecutions	String config		Gets executions from a configuration id	
getFailures	String config, int iterId, int offset	GET/ POST	Gets the HTML failures report for the given iteration.	http://localhost:8080/AppvanceServer/rest/reports/getFailures?config=default&exeld=1334568&iterId=7&offset=timeFrame
getFullIterationInfo	String config, int iterId	GET/ POST	Get full iteration information based on iteration id.	http://localhost:8080/AppvanceServer/rest/reports/getFullIterationInfo?config=default&iterId=7
getFunctionalReport	String config, long exeld		Gets the functional report of the current execution (Only the first transaction, used for Functional Testing only)	
getHarFromTestCaseExecution	String config, int txId	GET/ POST	Gets har details from the test case execution.	http://localhost:8080/AppvanceServer/rest/reports/getHarFromTestCaseExecution?config=default&txId=12345

Method	Parameters	HTTP Method	Description	URL Example
getIntegrationReport	String config, long exeld, int iterId, String integration, String format	GET/ POST	Gets one transaction	http://localhost:8080/AppvanceServer/rest/reports/getIntegrationReport?config=default&exeld=1334568&iterId=7&integrator=integ&format=docx we can use pdf as well - for format
getIterationDetailsReport	String config, int iterId	GET/ POST	Get Iteration Details CSV report	http://localhost:8080/AppvanceServer/rest/reports/getIterationDetailsReport?config=default&iterId=7
getIterationInfo	String config, int iterId	GET/ POST	Gets Iteration information based on the iteration id	http://localhost:8080/AppvanceServer/rest/reports/getIterationInfo?config=default&iterId=7
getIterations	String config, long exeld	GET/ POST	Gets iterations	http://localhost:8080/AppvanceServer/rest/reports/getIterations?config=default&exeld=7
getIterationScalability	String config, long exeld, String iterName	GET/ POST	Gets scalability for a single iteratio	http://localhost:8080/AppvanceServer/rest/reports/getIterationScalability?config=default&exeld=7&iterName=iter1
getIterationSummary	String config, int iterId, String template, String testcaseld, int offset	GET/ POST	gets iteration summary report	http://localhost:8080/AppvanceServer/rest/reports/getIterationSummary?config=default&exeld=7&iterId=2&offset=off&testcaseld=11&template=functional
getIterAverageHits	String config, int iterId		Gets the current iteration average hits data provider to plot controller average hits	
getIterSuccessFailures	String config, int iterId		Gets the current iteration success and failures	

Method	Parameters	HTTP Method	Description	URL Example
getIterTotalHits	String config, int iterId		Gets the current iteration total hits data provider to plot controller total hits	
getIterTotalThroughput	String config, int iterId		Gets the current iteration total throughput data provider to plot controller total throughput	
getIterUserCount	String config, int iterId		Gets the current iteration active user count data provider to plot controller active users count	
getJUnitReport	String config, long exelId, int txId	GET/ POST	Gets one transaction report in xml format	http://localhost:8080/AppvanceServer/rest/reports/getJUnitReport?config=default&exelId=7&txId=2
getJUnitWithIntegrations	String config, long exelId, int txId		Gets one transaction report in xml format	
getLastExecutionInfo	String config	GET/ POST	Gets last execution info	http://localhost:8080/AppvanceServer/rest/reports/getLastExecutionInfo?config=default
getMonitorTemplates	String config, int iterId, String target	GET/ POST	Gets Monitor Templates	http://localhost:8080/AppvanceServer/rest/reports/getMonitorTemplates?config=default&iterId=7&target=2
getOutput	String config, int nodeId	GET/ POST	Gets testnode output	http://localhost:8080/AppvanceServer/rest/reports/getRecentExecutions?config=default&nodeId=7
getPoolStatus			Gets the pool status	
getRecentExecutions	String config	GET/ POST	Gets executions from a configuration id	http://localhost:8080/AppvanceServer/rest/reports/getRecentExecutions?config=default

Method	Parameters	HTTP Method	Description	URL Example
getRequest	String config, int requestId		Download a request content. User must know the request content format	
getResourceOnTime	String config, int resourceId, String resourceType, boolean msec	GET/ POST	Gets the Results On Time metrics as a CSV report	http://localhost:8080/AppvanceServer/rest/reports/getResourceOnTime?config=default&resourceId=7&resourceType=type&msec=false
getResourceUsageDataProvider	String config, int exeId, int iterId, String targetId, String templates	GET/ POST	Gets resource usage	http://localhost:8080/AppvanceServer/rest/reports/getResourceUsageDataProvider?config=default&exeId=1524116442668&iterId=-725547514&targetId=localhost&templates=["PC","Appvance Java"]
getResourceUsageMetricsConfig	String config, int iterId, String targetId, String templates, boolean getTxS	GET/ POST	Gets the test case executions (success and failures) and the given target metrics configurations	http://localhost:8080/AppvanceServer/rest/reports/getResourceUsageMetricsConfig?config=default&exeId=exeId&iterId=iterId&targetId=targetName&templates=monitorTemplate&getTxS=getTxS
getResultsOnTimeDataProvider	String config, int resourceId, String templates, boolean msec	GET/ POST	Get the Results On Time Charting data for the specified resource ID	http://localhost:8080/AppvanceServer/rest/reports/getResultsOnTimeDataProvider?config=default&resourceId=7&templates=tname&msec=true
getResultsOnTimePlotData	String config, int resourceId, String template, boolean msec		Get the Results On Time Charting data for the specified resource ID	
getScalabilityDataProvider	String config, long exeId	GET/ POST	Gets scalability data provider.	http://localhost:8080/AppvanceServer/rest/reports/getScalabilityDataProvider?config=default&exeId=7

Method	Parameters	HTTP Method	Description	URL Example
getScenarioJUnitReport	String config, long exeld, boolean integrations		Gets scenario report in xml format	
getSimpleReport	String config, long exelId, String name, String type		Gets executions details	
getStepsTimeDataProvider	String config, int iterId, int testcaselId	GET/ POST	Gets the Data Provider required to plot Steps Time chart	http://localhost:8080/AppvanceServer/rest/reports/getStepsTimeDataProvider?config=default&iterId=9&testcaselId=1
getStepsTimeReport	String config, int iterId, int testcaselId	GET/ POST	Get Steps Time CSV report	http://localhost:8080/AppvanceServer/rest/reports/getStepsTimeReport?config=default&iterId=9&testcaselId=1
getSummariesComparison	String config, int iterId, long exeld, int offset, String path, String templates, int summaryID	GET/ POST	Gets Summaries comparison	http://localhost:8080/AppvanceServer/rest/reports/getSummariesComparison?config=default&exeld=7&iterId=9&offset=timeFrame&path=fileName&templates=templates&summaryID=summaryID
getSummary	String config, int iterId, int summaryId, String template, String testcaselId, int offset	GET/ POST	Gets summary	http://localhost:8080/AppvanceServer/rest/reports/getSummary?config=default&iterId=9&offset=timeFrame&path=fileName&templates=templates&summaryID=summaryID
getTargets	String config, int iterId	GET/ POST	Gets targets	http://localhost:8080/AppvanceServer/rest/reports/getTargets?config=default&iterId=7
getTemplate	String templateName, boolean steps	GET/ POST	Get the give custom report template entries	http://localhost:8080/AppvanceServer/rest/reports/getTemplate?steps=false&template=heading

Method	Parameters	HTTP Method	Description	URL Example
getTemplateNames		GET/ POST	Get current report templates	http://localhost:8080/AppvanceServer/rest/reports/getTemplateNames
getTemplates		GET/ POST	Get current templates	http://localhost:8080/AppvanceServer/rest/reports/getTemplates
getTestNodes	String config, long exelId	GET/ POST	Gets testnodes from execution	http://localhost:8080/AppvanceServer/rest/reports/getTestNodes?config=default&exelId=7
getTicks	String config, int iterId	GET/ POST	Gets the list of ticksfor the given Iteration	http://localhost:8080/AppvanceServer/rest/reports/getTicks?config=default&exelId=7
getTotalTx	String config, long exelId	GET/ POST	Gets total tx	http://localhost:8080/AppvanceServer/rest/reports/getTotalTx?config=default&exelId=7
getTotalTxIteration	String config, int iter	GET/ POST	Gets total tx Iteration details	http://localhost:8080/AppvanceServer/rest/reports/getTotalTxIteration?config=default&iterId=8
getTx	String config, int txId, String filterFunctional	GET/ POST	Gets one transaction	http://localhost:8080/AppvanceServer/rest/reports//getTx?config=default&txId=7&filterFunctional=functionalVal
getTXWithResourceUsageDataProvider	String config, int iterId, String targetId, String templates	GET/ POST	Gets the test case executions (success and failures) with the given target resource usage	http://localhost:8080/AppvanceServer/rest/reports/getTXWithResourceUsageDataProvider?config=default&iterId=4&targetId=15&templates=templates
isAppPenetration	String config, long exelId	GET/ POST	Gets security integration ifexist	http://localhost:8080/AppvanceServer/rest/reports//isAppPenetration?config=decorati on&exelId=7

Method	Parameters	HTTP Method	Description	URL Example
removeTemplate	String templateName	GET/ POST	Remove report template based on name.	http://localhost:8080/AppvanceServer/rest/reports/removeTemplate?template=templateName
saveTemplate	JSONObject newJsonTemplate	GET/ POST	Save templates	http://localhost:8080/AppvanceServer/rest/reports/saveTemplate Template added below for your example:

Report Template Sample Object :

```
{"name":"newTemplate","reports":["functionalReport","stepTimes","iterationSummary","stepTimes_serverSideOnly","iterationSummary_testcaseName","securityReport"]}
```

If you want more reports, it must be added in the reports array ike this:

```
{"name":"newTemplate","reports":["functionalReport","stepTimes","iterationSummary","stepTimes_serverSideOnly","iterationSummary_testcaseName","securityReport", iterationSummary_requestName","scalabilityReport"]}
```